



MYOSTIM 10

10-channel EMS therapy

AESTHETE MEDTECH



MYOSTIM 10

10-channel EMS therapy

Nine programs / Individual channel controls / 0-60 minute timer

Control across ten channels.

MYOSTIM 10 is an electrical stimulation platform with ten output channels, individual intensity adjustment and nine selectable programs. The LCD displays frequency, time and program information.



10

OUTPUT CHANNELS

9

PROGRAMS

4

FREQUENCY MODES

A clear operating interface.



Frequency selection

Four selectable frequency modes.

Program selection

Programs 1-9, including a recurring sequence.

Time adjustment

Increase or decrease the session timer from 0 to 60 minutes.

Channel intensity

Ten rotary controls adjust outputs individually.

Start / pause & power

Dedicated controls for session operation and power.

LCD information

Frequency, time and program are shown on the display.

Nine selectable programs.

01

Low-frequency stimulation

Described as superficial-layer stimulation.

02

Active stimulation

Described as a deeper-level stimulation pattern.

03

Deep-level stimulation

Wider pulses and higher frequency than programs 1 and 2.

04

Activating stimulation

An activating / firming program.

05

Muscle-firming stimulation

Stronger pulse-width and frequency settings than program 3.

06

Continuous stimulation

Continuous intermediate-frequency stimulation.

07

Intermittent stimulation

An intermittent pattern with rest intervals.

08

Sine-modulated stimulation

Sine modulation with intermediate-frequency stimulation.

09

Recurring sequence

Cycles through programs 1-8.

The complete collection.



Electrode patches



Output leads



Elastic securing bands

Packing list

Main unit	Patch wires	Breast patches
1 set	10	2
Electro patches	Self-stick patches	Power cable
20	2	1
Elastic band	Fuses	Instruction manual
1	2 sets	1

Technical details.

Reference model	Myostim 10
Instrument type	Electrical stimulation instrument
Output channels	10
Programs	9
Frequency modes	4
Timer	0-60 minutes
Rated power	40 W
Voltage options	110 / 220 / 230 / 240 V
Mains frequency options	50 / 60 Hz
Dimensions listed	55 x 38 x 20 cm or 103 x 55 x 46 cm
Gross weight listed	5 kg or 25 kg



AESTHETE GH LLC

30 N GOULD STREET
SHERIDAN, WY 82801, USA

info@aesthetegh.com